



- Artemia replacer
- · High survival
- · Supports bone development











## **COMPOSITION:**

Analyses (%)		Sizes
Protein	45	0.2-0.3 mm
Fat	11	0.3-0.5 mm
Crude fibre	1,0	0.5-0.8 mm
Ash	7,3	
Total P	2,12	
Vitamins added		
Vitamin A (IE/kg)	16667	

#### Energy (MJ/kg)


Gross Energy	19,8
Digestible Energy	17,8

# FEEDING TABLE FOR LOW FEED CONVERSION RATIO (FCR)

Fish weight (g)	Feed size (mm)	< 10 °C	10 °C	12 °C	14 °C	16 °C	18 °C	20 °C	22 °C	24 °C	26 °C	26 °C
< 0.2	0.2-0.3	Larvae fed to sati								According to		
0.2-0.5	0.3-0.5	According to fish's appetite	2,34	2,83	3,42	4,13	5,00	6,05	7,31	8,84	7,96	fish's appetite &
0.5-1.5	0.5-0.8		2,01	2,43	2,94	3,55	4,29	5,19	6,28	7,59	6,83	O2 level

## **ECOLOGICAL FIGURES:**

### Discharge per 1000 kg production



The values of the nutrients and vitamins are from the time of writing.

<sup>\*</sup> The feeding advice is expressed in % biomass/day.

<sup>\*</sup> This feeding table is a guideline only and based on optimal conditions.